

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1-18. (Canceled)

19. (Currently amended) A method performed by a custom news server, the method comprising:

permitting, by a processor of the custom news server, multiple users to access, via a network, first news content contained in one or more news documents stored at a document the custom news server;

receiving, by a communication interface or an input device of the custom news server, a request to access a portion of the first news content;

sending query data, in response to a portion of the first news content being accessed by at least one of the multiple users, from the document server the request, across at least a portion of the network to a news search server that is operable to crawl and aggregate news content from a plurality of news sources, where the query data includes a uniform resource locator (URL) associated with the requested portion of the first news content, and where the sending is performed by the communication interface or an output device of the custom news server;

receiving, by the communication interface or the input device, second news content, via the network, at the document server from the news search server based on the query data;

incorporating, by the processor, the second news content into the one or more news documents; and

permitting, ~~by the processor,~~ the multiple users to access, ~~via the network,~~ the second news content at the ~~document custom news~~ server, where the ~~document custom news~~ server and the news search server comprise different network devices that are connected ~~to the~~ via a network.

20. (Currently amended) The method of claim 19, ~~wherein~~ where the news search server executes a search, using the query data, to retrieve the second news content.

21. (Canceled)

22. (Currently amended) The method of claim [[21]] 19, ~~wherein~~ where the news search server retrieves at least a portion of text of the requested portion of the first news content using the URL and generates a search query for use in the search based, at least in part, on the at least a portion of the text.

23. (Currently amended) The method of claim 22, ~~wherein~~ where the at least a portion of the text of the portion of the first news content comprises key words ~~[[of]]~~ associated with the portion of the first news content.

24. (Currently amended) The method of claim 22, ~~wherein~~ where the news search server aggregates the news content from the plurality of news sources and groups the news content into categories.

25. (Currently amended) The method of claim 24, ~~wherein~~ where the search compares the URL with the grouped news content to determine a group from the grouped news content to which the URL belongs.
26. (Currently amended) The method of claim 20, ~~wherein~~ where the query data comprises a textual portion of the portion of the first news content.
27. (Currently amended) The method of claim 26, ~~wherein~~ where the news search server generates a search query for use in the search based, at least in part, on the textual portion of the portion of the first news content.
28. (Currently amended) The method of claim 27, ~~wherein~~ where the textual portion of the portion of the first news content comprises key words of the portion of the first news content.
29. (Canceled)
30. (Currently amended) A system, comprising:  
a first server ~~configured~~ to:  
store a ~~locally created~~ document local to the first server, where the document includes [[with]] news content that contains embedded search queries, the document being created by the first server, and

send a search query that was embedded within the news content across at least a portion of a network to a second server, in response to a user accessing the locally created document; and  
the second server ~~being configured~~ to:

crawl a corpus of news documents hosted at a plurality of remote servers to obtain news content,

search the news content based on the search query to obtain search results, and  
provide particular news content to the first server based on the search results;  
the first server ~~being further configured~~ to:

permit a plurality of users to access, from across the network, the locally created document [[with]] that includes the news content and the particular news content received from the second server, where the first server, the second server, and the plurality of remote servers comprise different network devices that connect to the network.

31-32. (Canceled)

33. (Currently amended) A method comprising:

embedding, by a processor of a custom news server, search queries in particular locations of news content documents stored at ~~a first~~ the custom news server;

receiving, from across a network by a communication interface or an input device of the custom news server, a selection of one of the news content documents from a user at a client;

retrieving, by the processor, one of the embedded search queries in response to receiving the selection of the one of the news content documents; and

~~sending, by the communication interface or an output device of the custom news server,~~  
query data, ~~that includes comprising~~ the one of the embedded search queries, ~~from the first~~  
~~server to the client across at least a portion of a network to allow the client, using the query data,~~  
~~to retrieve news content from to a second news search~~ server that has crawled a corpus of news  
documents hosted on other servers and stored information associated with the crawled  
documents in a repository of crawled documents.

34. (Currently amended) The method of claim 33, further comprising:

searching, at the second news search server, the repository of crawled documents based  
on the one of the embedded search queries to obtain the news content; and

sending the obtained news content from the second news search server to the client  
custom news server across the network.

35. (Currently amended) The method of claim 33, ~~wherein~~ where the embedded search  
queries are in the form of an applet or a hyper text markup language (HTML) iframe.

36. (Currently amended) ~~A method comprising~~ One or more physical memory devices  
storing instructions executable by one or more processors, comprising instructions to:

embedding embed search queries within news content documents stored at a first custom  
news server, where the embedded search queries comprise an applet or an iframe;

~~receiving, from across a network,~~ receive a selection of one of the news content  
documents from a user at a client;

~~retrieving~~ retrieve one of the embedded search queries in response to receiving the selection of the one of the news content documents;

~~sending~~ send query data, ~~that includes~~ comprising the one of the embedded search queries, ~~from the first server~~ to a ~~second~~ news search server that has crawled a corpus of news documents hosted on other servers and stored information associated with the crawled documents in a repository of crawled documents;

~~receiving, at the first server,~~ receive news content from the ~~second~~ news search server that is related to the query data; and

~~populating~~ populate one or more documents of the news content documents with the received news content for access by the user.

37-38. (Canceled)

39. (Currently amended) The method of claim 33, ~~wherein~~ where the query data includes at least a portion of text from the selected one of the news content documents or a uniform resource locator (URL) of the selected one of the news content documents.

40. (Canceled)

41. (Currently amended) The method of claim 39, ~~wherein~~ where retrieving news content from the ~~second~~ news search server using the query data comprises:

fetching the selected one of the news content documents using the URL;

generating a search query based on keywords of the fetched one of the news content documents; and

searching, at the ~~second~~ news search server, the repository of crawled documents based on the generated search query to obtain news content that is related to the search query.

42. (New) The system of claim 30, where the search query comprises at least one of one or more keywords, one or more topical categories, or one or more geographical categories.

43. (New) The system of claim 30, where the search query comprises a uniform resource locator (URL) of the news content.

44. (New) The one or more physical memory devices of claim 36, where the received news content is selected from a particular group of news content based on the one of the embedded search queries.

45. (New) The one or more physical memory devices of claim 36, where the received news content comprises a ranked list of news content.